Author Index 2006

Allen, C B	Development and validation of sliding and non-matching grid technology for control surface representation	299
Ansari, S A	Non-linear unsteady aerodynamic model for insect-like flapping wings in the hover. Part 1: methodology and analysis	61
Ansari, S A	Non-linear unsteady aerodynamic model for insect-like flapping wings in the hover. Part 2: implementation and validation	169
Antoranz, J M	$\alpha \leftrightarrow \beta$ changes in Ti–6Al–2Sn–4Zr–2Mo–Si alloy: characterization, microstructure, and mechanical properties	241
Avanzini, G	Design of the flight management system for a shrouded-fan uninhabited aerial vehicle	475
Badía, J M	$\alpha \leftrightarrow \beta$ changes in Ti–6Al–2Sn–4Zr–2Mo–Si alloy: characterization, microstructure, and mechanical properties	241
Badcock, K	Modelling three-dimensional dynamic stall of helicopter blades using computational fluid dynamics and neural networks	605
Barakos, G	Modelling three-dimensional dynamic stall of helicopter blades using computational fluid dynamics and neural networks	605
Betz, D C	Multi-functional fibre Bragg grating sensors for fatigue crack detection in metallic structures	453
Bharani, S	Effect of inlet swirl on the performance of annular diffusers having the same equivalent cone angle	129
Biskri, D E	Aerodynamic forces based on an error analytical formulation for aeroservoelasticity studies on an F/A-18 aircraft	421
Bismarck-Nasr, M N	Hybrid singular elements in fracture mechanics	29
Boni, L	Finite-element-based assessment of analytical methods for the design of fuselage frames	387
Botez, R M	Aerodynamic forces based on an error analytical formulation for aeroservoelasticity studies on an F/A-18 aircraft	421
Catalano, F M	Experimental analysis of the aerodynamic characteristics adaptive of multi-winglets	209
Cerón-Muñoz, H D	Experimental analysis of the aerodynamic characteristics adaptive of multi-winglets	209
Cheng, Y M	Fault diagnosis of inertia sensor in missile control systems	51
Chen, K-M	Hybrid guidance law for interception of ballistic targets	525
Chen, X M	Suitability analysis of commercial off-the-shelf components for space application	357
Chen, Y	Square deployable frames for space applications. Part 1: theory	347
Choi, J	Measurements in the wake of an airfoil with regular roughness on the upper surface near the leading edge	203
Chua, L P	Kelvin–Helmholtz and streamwise vortices in the near wake of a single-lobe forced mixer	279
Cui, M M	Unsteady flow around suction elbow and inlet guide vanes in a centrifugal compressor	11
Culshaw, B	Multi-functional fibre Bragg grating sensors for fatigue crack detection in metallic structures	453
Cummings, R M	Continuing evolution of aerodynamic concept development using collaborative numerical and experimental evaluations	545
de Matteis G	Design of the flight management system for a shrouded-fan uninhabited aerial vehicle	475
Evans, H E	Oxidation of high-temperature coatings	1
Fanteria, D	Finite-element-based assessment of analytical methods for the design of fuselage frames	387
Farrall, M	Prediction of air/oil exit flows in a commercial aero-engine bearing chamber	197
Fenwick, C L	Development and validation of sliding and non-matching grid technology for control surface representation	299
Fernandes, J L C	Hybrid singular elements in fracture mechanics	29
Finnis, M V	Planar visualization of vortical flows	619
Foord, C A	High-speed ball bearing analysis	537
Fujimori, A	Model identification of linear parameter varying aircraft systems	337
Gao, H	Investigation of cavitation near the orifice of hydraulic valves	253
Gibson, A	Modified stiffened panel analysis methods for laser beam and friction stir welded aircraft panels	267
Giddings, D	Prediction of air/oil exit flows in a commercial aero-engine bearing chamber	197
Hay, J N	Recent developments in thermoset curing methods	187
He, X F	Signal reconfiguration of missile fault-tolerant control	429

© IMechE 2006

Heidebrecht, A	A numeric far field model for support interference studies in a slotted wall wind tunnel (European Transonic Windtunnel)	581
Hess, R A	Simplified approach for modelling pilot pursuit control behaviour in multi-loop flight control tasks	85
Hibberd, S	Prediction of air/oil exit flows in a commercial aero-engine bearing chamber	197
Houdeville, R	Transition measurement and prediction on a generic high-lift swept wing	589
Huang, S-W	Hybrid guidance law for interception of ballistic targets	525
Hu, Q	Optimal sliding mode manoeuvring control and active vibration reduction of flexible spacecraft	317
Hummel, D	The Second International Vortex Flow Experiment (VFE-2): Objectives and First Results	559
Jiang, X J	Suitability analysis of commercial off-the-shelf components for space application	357
Khan, M K	Compressive and lamination strength of honeycomb sandwich panels with strain energy calculation from ASTM standards	375
Kim, H-D	Influence of the nozzle inlet configuration on under-expanded swirling jet	155
Kim, J S	Measurements in the wake of an airfoil with regular roughness on the upper surface near the leading edge	203
Kim, M	Coulomb formation conservation laws using differential orbit elements	463
Kim, S	Measurements in the wake of an airfoil with regular roughness on the upper surface near the leading edge	203
Knowles, K	Non-linear unsteady aerodynamic model for insect-like flapping wings in the hover. Part 1: methodology and analysis	61
Knowles, K	A review of jet mixing enhancement for aircraft propulsion applications	103
Knowles, K	Non-linear unsteady aerodynamic model for insect-like flapping wings in the hover. Part 2: implementation and validation	169
Knowles, K	Planar visualization of vortical flows	619
Knowles, R D	Planar visualization of vortical flows	619
Kolář, V	Vorticity and circulation aspects of twin jets in cross-flow for an oblique nozzle arrangement	247
Lee, K-H	Influence of the nozzle inlet configuration on under-expanded swirling jet	155
Liang, Y	Fault diagnosis of inertia sensor in missile control systems	51
Lin, C-L	Hybrid guidance law for interception of ballistic targets	525
Lin, W	Investigation of cavitation near the orifice of hydraulic valves	253
Liu, X C	Fault diagnosis of inertia sensor in missile control systems	51
Liu, X C	Signal reconfiguration of missile fault-tolerant control	429
Ljung, L	Model identification of linear parameter varying aircraft systems	337
Lynch, F	Modified stiffened panel analysis methods for laser beam and friction stir welded aircraft panels	267
Ma, G	Optimal sliding mode manoeuvring control and active vibration reduction of flexible spacecraft	317
Mao, R H	Kelvin–Helmholtz and streamwise vortices in the near wake of a single-lobe forced mixer	279
Matsuo, S	Influence of the nozzle inlet configuration on under-expanded swirling jet	155
McGuirk, J J	Prediction of a non-isothermal three-dimensional mixing layer created by a scarfed lobed mixer	399
Mehrabian, A R	Skid-to-turn missile autopilot design using scheduled eigenstructure assignment technique	225
Mills, A	Development of an automated preforming technology for resin infusion processing of aircraft components	499
Moens, F	Transition measurement and prediction on a generic high-lift swept wing	589
Moríñigo, J A	Three-dimensional simulation of the self-oscillating flow and side-loads in an over-expanded subscale rocket nozzle	507
Morton, S A	Continuing evolution of aerodynamic concept development using collaborative numerical and experimental evaluations	545
Murphy, A	Modified stiffened panel analysis methods for laser beam and friction stir welded aircraft panels	267
Newman, S J	A full-span free-wake model using circular-arc vortex elements and incorporating rotor trim analysis	145
O'Gara, P	Recent developments in thermoset curing methods	187
Okamoto, S	Vorticity and circulation aspects of twin jets in cross-flow for an oblique nozzle arrangement	247
Page, G J	Prediction of a non-isothermal three-dimensional mixing layer created by a scarfed lobed mixer	399
Pan, Q	Fault diagnosis of inertia sensor in missile control systems	51
Park, J	Measurements in the wake of an airfoil with regular roughness on the upper surface near the leading edge	203
Perraud, J	Transition measurement and prediction on a generic high-lift swept wing	589
Piris, N M	$\alpha \leftrightarrow \beta$ changes in Ti–6Al–2Sn–4Zr–2Mo–Si alloy: characterization, microstructure, and mechanical properties	241
Price, M	Modified stiffened panel analysis methods for laser beam and friction stir welded aircraft panels	267
Richards, B	Modelling three-dimensional dynamic stall of helicopter blades using computational fluid dynamics and neural networks	605

 © IMechE 2006

Rodríguez, M C	$\alpha \leftrightarrow \beta$ changes in Ti–6Al–2Sn–4Zr–2Mo–Si alloy: characterization, microstructure, and mechanical properties	241
Roshanian, J	Skid-to-turn missile autopilot design using scheduled eigenstructure assignment technique	225
Saddington, A J	A review of jet mixing enhancement for aircraft propulsion applications	103
Saddington, A J	Planar visualization of vortical flows	619
Saha, K	Effect of inlet swirl on the performance of annular diffusers having the same equivalent cone angle	129
Salman, H	Prediction of a non-isothermal three-dimensional mixing layer created by a scarfed lobed mixer	399
Salvá, J J	Three-dimensional simulation of the self-oscillating flow and side-loads in an over-expanded subscale rocket nozzle	507
Sarigul-Klijn, M	A comparative analysis of methods for air-launching vehicles from earth to sub-orbit or orbit	439
Sarigul-Klijn, N	A comparative analysis of methods for air-launching vehicles from earth to sub-orbit or orbit	439
Savory, E	Vorticity and circulation aspects of twin jets in cross-flow for an oblique nozzle arrangement	247
Schaub, H	Coulomb formation conservation laws using differential orbit elements	463
Seshadri, V	Effect of inlet swirl on the performance of annular diffusers having the same equivalent cone angle	129
Setoguchi, T	Influence of the nozzle inlet configuration on under-expanded swirling jet	155
Simmons, K	Prediction of air/oil exit flows in a commercial aero-engine bearing chamber	197
Simón, A G	$\alpha \leftrightarrow \beta$ changes in Ti–6Al–2Sn–4Zr–2Mo–Si alloy: characterization, microstructure, and mechanical properties	241
Singh, S N	Effect of inlet swirl on the performance of annular diffusers having the same equivalent cone angle	129
Spentzos, A	Modelling three-dimensional dynamic stall of helicopter blades using computational fluid dynamics and neural networks	605
Séraudie, A	Transition measurement and prediction on a generic high-lift swept wing	589
Staszewski, W J	Multi-functional fibre Bragg grating sensors for fatigue crack detection in metallic structures	453
Sundaresan, M	Design aspects of launch vehicle sizing including air-breathing propulsion	487
Sun, H X	Suitability analysis of commercial off-the-shelf components for space application	357
Takao, H	Vorticity and circulation aspects of twin jets in cross-flow for an oblique nozzle arrangement	247
Tarín, P	$\alpha \leftrightarrow \beta$ changes in Ti–6Al–2Sn–4Zr–2Mo–Si alloy: characterization, microstructure, and mechanical properties	241
Taylor, M P	Oxidation of high-temperature coatings	1
Thursby, G	Multi-functional fibre Bragg grating sensors for fatigue crack detection in metallic structures	453
Todoroki, T	Vorticity and circulation aspects of twin jets in cross-flow for an oblique nozzle arrangement	247
Toy, N	Vorticity and circulation aspects of twin jets in cross-flow for an oblique nozzle arrangement	247
Tsukiji, T	Investigation of cavitation near the orifice of hydraulic valves	253
van Muijden J	Improvement and verification of low-speed aerodynamic characteristics of a supersonic civil transport aircraft	569
Vempati, K K	Effect of inlet swirl on the performance of annular diffusers having the same equivalent cone angle	129
Wang, Z H	Suitability analysis of commercial off-the-shelf components for space application	357
Wen, B C	Neural network for structural stress concentration factors in reliability-based optimization	217
Wu, M-T	Hybrid guidance law for interception of ballistic targets	525
Xiao, L X	Signal reconfiguration of missile fault-tolerant control	429
Xu, G H	A full-span free-wake model using circular-arc vortex elements and incorporating rotor trim analysis	145
Xu, J H	Signal reconfiguration of missile fault-tolerant control	429
Yang, A-S	Plume impingement investigation using Monte-Carlo computations	365
You, Z	Square deployable frames for space applications. Part 1: theory	347
Yuan, Q	Fault diagnosis of inertia sensor in missile control systems	51
Yu, G H	Suitability analysis of commercial off-the-shelf components for space application	357
Yu, S C M	Kelvin–Helmholtz and streamwise vortices in the near wake of a single-lobe forced mixer	279
Żbikowski, R	Non-linear unsteady aerodynamic model for insect-like flapping wings in the hover. Part 1: methodology and analysis	61
Żbikowski, R	Non-linear unsteady aerodynamic model for insect-like flapping wings in the hover. Part 2: implementation and validation	169
Zhang, H C	Fault diagnosis of inertia sensor in missile control systems	51
Zhang, L	Neural network for structural stress concentration factors in reliability-based optimization	217
Zhang, L	Suitability analysis of commercial off-the-shelf components for space application	357
Zhang, Y M	Neural network for structural stress concentration factors in reliability-based optimization	217
Zhao, T L	Suitability analysis of commercial off-the-shelf components for space application	357
Zheng, J X	Neural network for structural stress concentration factors in reliability-based optimization	217
Zhou, C Y	Suitability analysis of commercial off-the-shelf components for space application	357

© IMechE 2006